

Single-Drum Vibratory Rollers

160 kg to 525 kg



Single-Drum Vibratory Rollers BW 55 E, BW 71 E-2 and BW 71 EHB-2



Compact, mobile and versatile

Areas of application:

The single-drum vibratory rollers are designed for the compaction of granular and asphalt materials. Their compact size and mobility makes them ideal use on footpaths, patching, landscaping and DIY, playgrounds, cycle paths and sports grounds. Also on jobs where double-drum rollers are too big or difficult to operate.

- Deadman handle and back-up protection for maximum operator safety.
- Simple design layout for near maintenancefree operation.
- Reinforced long-life centrifugal clutch for extra reliability.
- Large corrosion-free water tank: easily removable for filling or cleaning.



Versatile application: BW 71 E-2. Optionally also available with supporting wheel.

Your advantages:

- Light and easy to transport.
- Ideal for sub-base and asphalt work.
- Narrow lateral overhang for operation close to walls and kerbs.
- E-start standard. Exception BW 55 E.
- Low maintenance with sealed for life vibrator bearings and robust protection for travel and vibration housing.
- Proven low-maintenance hydrostatic drive on model BW 71 E-2.
- Reduced operating costs with high wear resistant extra thick drums.
- Compact design for easy handling in confined areas.

- Added versatility with hydraulic breaker version (model BW 71 EHB-2). Specially designed for repair work on asphalt.
- Added operating protection on the BW 55 E with automatic low engine oil cut-off.
- The Hatz engine on model BW 71 E-2 and Honda on the BW 55 E both have proven reliability.
- A tail wheel is an optional extra for easy handling of model BW 71 E-2.



BW 71 E: By standard with single-point suspension.



Standard with water sprinkler system.



The BW 55 E is popular for landscaping work.



Proven on over 1000 units – the Honda GX 120 on the BW 55 E.

BW 71 EHB-2 with hydraulic breaker



BW 71 EHB-2 with hydraulic breaker and supporting wheel (optional).

The BW 71 EHB-2 single-drum roller is available with a hydraulic breaker option. This feature expands the uses of the unit. The rollerbreaker model is particularly popular for asphalt repair work and can often save the cost of a compressor. The roller-breaker will break out damaged materials prior to compacting the new reinstatement.



To provide the increased power needed for use with a hydraulic breaker model BW71EHB-2 is fitted with the Hatz 1 B 40 diesel engine.



For longer life and continuous operation under high loads the roller-breaker is equipped with an additional oil cooler



BOMAG provides local service and support no matter where your next contract is located.

As world market leader in compaction equipment, we offer you the widest range of products backed by expert support and advice aimed at keeping your operation profitable.

Modern manufacturing plants in Germany, USA and China together with licencees and partners around the world supply BOMAG rollers to global markets.

Regional customer care is centred on six branches in Germany, eight subsidiaries in Austria, Canada, China, France, Great Britain, Italy, Japan and USA, one sales office in Singapore and over 500 independent BOMAG dealers.

BOMAG Service. Everywhere and for every need. Our branches and dealers are backed by BOMAG's Central Parts warehouse where about 40,000 parts are held against customer requirements. You expect top service from BOMAG. We aim to provide it.

Quality! For the paint finish of the machine BOMAG as far as possible uses a high quality environmentally friendly powder coating, which excels by its excellent resistance against corrosion, scratching and ultraviolet light.

BOMAG. The world's foremost compaction company.

The machines illustrated may show optional equipment which can be supplied at additional cost. Specifications may change without notice.

- Head Office/Hauptsitz: BOMAG, Hellerwald, 56154 Boppard, GERMANY, Tel.: +49 6742 100-0, Fax: +49 6742 3090, e-mail: info@bomag.com, www.bomag.com
 BOMAG Maschinenhandelsgesellschaft mb.H., Porschestraße 9, 1230 Wien, AUSTRIA, Tel.: +43 1 69040-0, Fax: +43 1 69040-20, e-mail: austria@bomag.com
 BOMAG (CHINA) Compaction Machinery Co. Ltd., No. 2808 West Huancheng Road, Shanghai Comprehensive Industrial Zone (Fengulan), Shanghai 201401, OHINA, Tel.: +1 905 361 9961, Fax: +1 905 361 9962, e-mail: austria@bomag.com
 BOMAG (CHINA) Compaction Machinery Co. Ltd., No. 2808 West Huancheng Road, Shanghai Comprehensive Industrial Zone (Fengulan), Shanghai 201401, OHINA, Tel.: +30 19697600, Fax: +33 1 69962660, e-mail: france@bomag.com
 BOMAG (GREAT BRITAIN), LTD, Sheldon Way, Larkfield, Aylesford, Kent McE0 6SE, GREAT BRITAIN, BOMAG (GREAT BRITAIN), LTD, Sheldon Way, Larkfield, Aylesford, Kent McE0 6SE, GREAT BRITAIN, BOMAG (BREAT BRITAIN), LTD, Sheldon Way, Larkfield, Aylesford, Kent McE0 6SE, GREAT BRITAIN, BOMAG (BREAT BRITAIN), LTD, Sheldon Way, Larkfield, Aylesford, Kent McE0 6SE, GREAT BRITAIN, BOMAG (BREAT BRITAIN), LTD, Sheldon Way, Larkfield, Aylesford, Kent McE0 6SE, GREAT BRITAIN, BOMAG (BREAT BRITAIN), LTD, Sheldon Way, Larkfield, Aylesford, Kent McE0 6SE, GREAT BRITAIN, BOMAG (BREAT BRITAIN), LTD, Sheldon Way, Larkfield, Aylesford, Kent McE0 6SE, GREAT BRITAIN, BOMAG (BREAT BRITAIN), LTD, Sheldon Way, Larkfield, Aylesford, Kent McE0 6SE, GREAT BRITAIN, BOMAG Polska Sp. 2 o. 0, U. Szyszkowa 52, 02 255 Warszawa, POLAND, Tel:: +48 22 482 0400, Fax: +48 22 482 04 01, e-mail: tapan@bomag.com
 BOMAG GmbH, 300 Baach Road, The Concourse, H38-05, Singapore 198555, SINGAPORE, Tel.: +65 294 1277, Fax: +65 294 1377, e-mail: singapore@bomag.com
 BOMAG GmbH, 300 Baach Road, The Concourse, H38-05, Singapore 198555, SINGAPORE, Tel.: +65 294 1277, Fax: +65 294 1377, e-mail: singapore@bomag.com
 BOMAG GmbH, 300 Baach Road, The Conco



102 315 04/02 PRE